# HP LaserJet Managed MFP E72525, E72530, E72535



#### The next generation of quality, productivity, and security

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet A3 MFPs — to power productivity with a streamlined design that delivers premium quality, maximum uptime, and the strongest security.











2-sided printing

Quality laser printin

#### High quality, low cost

- Print premium, professional-quality documents with sharp text and crisp graphics for a low cost
- Get consistent, professional quality and performance you count on with Original HP toner cartridges and drums.
- Choose from a range of modular accessories designed to adapt to the needs of workgroups of all sizes.

#### Minimal interruptions. Maximum uptime.

- Avoid interruptions with an HP LaserJet Managed MFP designed to be streamlined for maximum productivity.
- Tailor this MFP to the needs of your business with a wide range of paper-handling accessories.
- Scan files directly to Microsoft® Office 365 and SharePoint, plus email, USB, and network folders <sup>2</sup>
- Grab pages and go, without waiting. This HP LaserJet wakes up quickly and prints fast –
  up to 35 ppm.<sup>3</sup>

#### The world's most secure printing

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Help protect information on your MFP and in transit over the network store data on the encrypted hard disk.<sup>4</sup>
- Continually monitor to detect and stop attacks, then automatically reboot with run-time intrusion detection.
- Whitelisting checks firmware during startup to help ensure it's authentic, good code digitally signed by HP.

#### Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages

   every time.<sup>5</sup>
- Enter data more quickly and accurately using the pull-out keyboard.5
- Help ensure every scanned document is properly oriented, cropped to size, and greyscale-optimised.
- Load up to 250 pages into the automatic document feeder for fast, unattended scanning.

#### **Product walkaround**

#### HP LaserJet Managed Flow MFP E72525z shown

- 1. 250-sheet automatic document feeder supports media up to A3
  2. Flatbed scanner handles sheets up to 297 x 432 mm
  3. 20.3 cm colour touchscreen control panel tilts up for easier viewing
  4. Pull-out keyboard (Flow MFP E72525z, Flow MFP E72530z, Flow MFP E72535z)
  5. Right door (access to the print path)
  6. 100-sheet multipurpose tray 1 supports media up to A3
  7. Front door access to toner cartridges
  8. Hardware Integration Pocket (for connecting accessory and third-party devices)
  9. Easy-access USB port

- 9. Easy-access USB port
  10. 500-sheet output bin
  11. Automatic two-sided printing
  12. HP Secure High-Performance Hard Disk
  13. 520-sheet tray 2 supports media up to A4
  14. 520-sheet tray 3 supports media up to A3
  15. Slot for cable-type security lock
  16. 2 Hi-Speed USB 2.0 Host ports
  17. Gigabit Ethernet port
  18. Hi-Speed USB 2.0 Device port





## Series at a glance













Model	HP MFP E72525dn	HP MFP E72530dn	HP MFP E72535dn	HP Flow MFP E72525z	HP Flow MFP E72530z	HP Flow MFP E72535z
Product number	X3A67A + X3A60A or Z8Z06A	X3A67A + X3A63A or Z8Z08A	X3A67A + X3A66A or Z8Z10A	X3A70A + X3A59A or Z8Z07A	X3A70A + X3A62A or Z8Z09A	X3A70A + X3A65A or Z8Z11A
Functions	Print, copy, and scan (fax and wireless optional)	Print, copy, and scan (fax and wireless optional)	Print, copy, and scan (fax and wireless optional)	Same as E72525dn	Same as E72530dn	Same as E72535dn
Print speed	Up to 25 pages per minute (ppm), A4	Up to 30 pages per minute (ppm), A4	Up to 35 pages per minute (ppm), A4	Same as E72525dn	Same as E72530dn	Same as E72535dn
ADF capacity	100 sheets, supports media up to A3	100 sheets, supports media up to A3	100 sheets, supports media up to A3	250 sheets, supports media up to A3	250 sheets, supports media up to A3	250 sheets, supports media up to A3
Scan speeds	Simplex/duplex: 80 ipm/160 ipm (A4)	Simplex/duplex: 80 ipm/160 ipm (A4)	Simplex/duplex: 80 ipm/160 ipm (A4)	Simplex/duplex: 120 ipm/240 ipm (A4)	Simplex/duplex: 120 ipm/240 ipm (A4)	Simplex/duplex: 120 ipm/240 ipm (A4)
Advanced workflow features	Send to Microsoft® SharePoint®	Send to Microsoft® SharePoint®	Send to Microsoft® SharePoint®	Same as E72525dn, plus: HP EveryPage technology, pull-out keyboard, auto-tone, auto orientation, auto-page-crop, embedded OCR	Same as E72530dn, plus: HP EveryPage technology, pull-out keyboard, auto-tone, auto orientation, auto-page-crop, embedded OCR	Same as E72535dn, plus: HP EveryPage technology, pull-out keyboard, auto-tone, auto orientation, auto-page-crop, embedded OCR
Optional input accessories	2 x 520-sheet Paper Feeder, 2,000-sheet HCl Feeder, Printer Cabinet	2 x 520-sheet Paper Feeder, 2,000-sheet HCI Feeder, Printer Cabinet	2 x 520-sheet Paper Feeder, 2,000-sheet HCl Feeder, Printer Cabinet	Same as E72525dn	Same as E72530dn	Same as E72535dn
Optional output accessories	Stapler/Stacker, Inner Finisher, Hole Punch (2/3, 2/4, and Swedish), Booklet Maker	Stapler/Stacker, Inner Finisher, Hole Punch (2/3, 2/4, and Swedish), Booklet Maker	Stapler/Stacker, Inner Finisher, Hole Punch (2/3, 2/4, and Swedish), Booklet Maker	Same as E72525dn	Same as E72530dn	Same as E72535dn

## **Accessories, Supplies and Support**

Supplies	W9005MC HP W9005MC Black Managed LaserJet Toner 48,000 pages						
	W9006MC HP W9006MC Black Managed LaserJet Imaging Drum 200,000 pages						
	W9007MC HP W9007MC Managed LaserJet Toner Collection Unit 100,000 pages						
Accessories	Y1G13A HP LaserJet Inner/Booklet Staples						
	Y1G14A HP LaserJet Stapler/Stacker Finisher Staples						
	Y1G17A HP LaserJet Printer Cabinet						
	Y1F97A HP LaserJet Dual Cassette Workgroup Feeder						
	Y1F99A HP LaserJet 2000-sheet HCI Input Tray						
	Y1G00A HP LaserJet Inner Finisher						
	Y1G18A HP LaserJet Stapler/Stacker Finisher						
	Y1G07A HP LaserJet Booklet Finisher						
	Y1G03A HP LaserJet Inner Finisher Hole 2/4 Punch						
	Y1G04A HP LaserJet Inner Finisher Swedish Punch						
	Y1G11A HP LaserJet Hole Punch 2/4 Accessory						
	Y1G12A HP LaserJet Hole Punch Swedish Accessory						
	CC487A HP LaserJet MFP Analog Fax Accessory 500						
	B5L28A HP Internal USB Ports						
	BSL29A HP High-Performance Secure Hard Disk						
	BSL31A HP Foreign Interface Harness						
	F5S62A HP Trusted Platform Module Accessory						
Connectivity	J8030A HP Jetdirect 3000w NFC/Wireless Accessory						
	J8031A HP Jetdirect 2900nw Print Server						
Service and support	U9LU3E HP 3 year Next Business Day Service with Defective Media Retention for LaserJet E725xx MFP Managed U9LU3E HP 3 year Next Business Day Service with Defective Media Retention for LaserJet E725xx MFP Managed U9LU3E HP 4 year Next Business Day Service with Defective Media Retention for LaserJet E725xx MFP Managed U9LU7E HP 5 year Next Business Day Service with Defective Media Retention for LaserJet E725xx MFP Managed U9LV5PE HP 1 year Post Warranty Next Business Day Service with Defective Media Retention for LaserJet E725xx MFP Managed U9LV6PE HP 2 year Post Warranty Next Business Day Service with Defective Media Retention for LaserJet E725xx MFP Managed U9LV1E HP 1 year Next Business Day Parts Exchange Service for LaserJet E725xx MFP Managed U9LV2E HP 3 year Next Business Day Parts Exchange Service for LaserJet E725xx MFP Managed U9LV3E HP 4 year Next Business Day Parts Exchange Service for LaserJet E725xx MFP Managed U9LV4E HP 5 year Next Business Day Parts Exchange Service for LaserJet E725xx MFP Managed U9LV4E HP 5 year Next Business Day Parts Exchange Service for LaserJet E725xx MFP Managed U9LV4E HP 5 year Next Business Day Parts Exchange Service for LaserJet E725xx MFP Managed U9LV4E HP 5 year Next Business Day Parts Exchange Service for LaserJet E725xx MFP Managed U9LV4E HP 5 year Next Business Day Parts Exchange Service for LaserJet E725xx MFP Managed						

## **Technical specifications**

Model	HP MFP E72525dn	HP MFP E72530dn	HP MFP E72535dn	HP Flow MFP E72525z	HP Flow MFP E72530z	HP Flow MFP E72535z		
Product number	X3A67A + X3A60A or Z8Z06A	X3A67A + X3A63A or Z8Z08A	X3A67A + X3A66A or Z8Z10A	X3A70A + X3A59A or Z8Z07A	X3A70A + X3A62A or Z8Z09A	X3A70A + X3A65A or Z8Z11A		
Functions	Print, Copy, Scan (fax and wireless optional)							
Control panel	20.3 cm (8.0-in) Colour Graphics Display (CGD) with touchscreen; Rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware integration pocket; Extended keyboard							
Print								
Print technology	Laser							
Print speed <sup>1</sup>	Black (A4, normal): Up to 25 ppm; Black (A4, duplex): Up to 18 ipm; Black (A3, normal): Up to 12 ppm	Black (A4, normal): Up to 30 ppm; Black (A4, duplex): Up to 20 ipm; Black (A3, normal): Up to 15 ppm	Black (A4, normal): Up to 35 ppm; Black (A4, duplex): Up to 23 ipm; Black (A3, normal): Up to 17 ppm	Black (A4, normal): Up to 25 ppm; Black (A4, duplex): Up to 18 ipm; Black (A3, normal): Up to 12 ppm	Black (A4, normal): Up to 30 ppm; Black (A4, duplex): Up to 20 ipm; Black (A3, normal): Up to 15 ppm	Black (A4, normal): Up to 35 ppm; Black (A4, duplex): Up to 23 ipm; Black (A3, normal): Up to 17 ppm		
First page out <sup>2</sup>	Black (A4, ready): As fast as 8.9 sec; Black (A4, sleep): As fast as 23 sec	Black (A4, ready): As fast as 7.9 sec; Black (A4, sleep): As fast as 23 sec	Black (A4, ready): As fast as 7.5 sec; Black (A4, sleep): As fast as 23 sec	Black (A4, ready): As fast as 8.9 sec; Black (A4, sleep): As fast as 23 sec	Black (A4, ready): As fast as 7.9 sec; Black (A4, sleep): As fast as 23 sec	Black (A4, ready): As fast as 7.5 sec; Black (A4, sleep): As fast as 23 sec		
Print resolution	Black (best): Up to 1200 x 1200 dpi reduced speed; Colour (best): Up to 600 x 600 dpi							
Monthly duty cycle	Up to 300,000 pages (A4); <b>Recommended monthly page volume:</b> Up to 50,000 pages							
Printer smart software features	Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPs - to power productivity with a streamlined design that delivers professional quality, maximum uptime, and the strongest security. Quality printing for a great value is a smart choice for any business. Produce premium, professional-quality documents at a competitive low cost with an HP LaserJet MFP built to make your work - and your business - look its best. Annoying interruptions and complex maintenance can slow down printing, and ultimately, the pace of business. Avoid pauses in productivity with an HP LaserJet MFP designed for maximum uptime, so you can count on reliable results, day in and day out. Only HP Enterprise printers repair themselves from attacks in real time, delivering built-in security to help keep your network safe. Automatically monitor threats, detect intrusions, and validate operating software with security offered only by HP. Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs fast - up to 180 ipm - and avoid extra steps with a Flow MFP designed for maximum productivity.							
Standard print languages	HP PCL 6, HP PCL 5c, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible							
Fonts and typefaces	84 scalable TrueType fonts							
Print area	Print margins: Top: 4.2 mm, Bottom: 4.2 mm, Left: 4.2 mm, Right: 4.2 mm; Maximum print area: 288.5 x 423.6 mm							
Duplex printing	Automatic (standard)							

Model	HP MFP E72525dn	HP MFP E72530dn	HP MFP E72535dn	HP Flow MFP E72525z	HP Flow MFP E72530z	HP Flow MFP E72535z		
Product number	X3A67A + X3A60A or Z8Z06A	X3A67A + X3A63A or Z8Z08A	X3A67A + X3A66A or Z8Z10A	X3A70A + X3A59A or Z8Z07A	X3A70A + X3A62A or Z8Z09A	X3A70A + X3A65A or Z8Z11		
Сору								
Copy speed	Black (A4): Up to 25 cpm	Black (A4): Up to 30 cpm	Black (A4): Up to 35 cpm	Black (A4): Up to 25 cpm	Black (A4): Up to 30 cpm	Black (A4): Up to 35 cpm		
Copier specifications	Two-sided conving: Scalability:	Image adjustments (darkness.	L contrast, background cleanup, sl	I narpness); Optimized text/picture	l (text. mixed. printed picture. pl	notograph): N-Up: N or		
copier specifications	Z-ordering; Content orientation	n; Collation; Booklet; ID Scan; Jol	build; Job storage; Watermark	Stamps; Book mode scans; Eras 0 dpi; <b>Reduce/Enlarge:</b> 25 to 40	se edges; Automatically detect c			
Scan								
Scan speed <sup>3</sup>	Normal (A4): Up to 80	Normal (A4): Up to 80	Normal (A4): Up to 80	Normal (A4): Up to 120	Normal (A4): Up to 120	Normal (A4): Up to 120		
	ppm/160 ipm (black and white); Up to 80 ppm/160 ipm (colour); <b>Duplex (A4):</b> Up to 160 ipm (black and white); Up	ppm/160 ipm (black and white); Up to 80 ppm/160 ipm (colour); <b>Duplex (A4):</b> Up to 160 ipm (black and white); Up	(colour); Duplex (A4): Up to	ppm/240 ipm (black and white); Up to 120 ppm/240 ipm (colour); <b>Duplex (A4):</b> Up to 240 ipm (black and white);	ppm/240 ipm (black and white); Up to 120 ppm/240 ipm (colour); <b>Duplex (A4):</b> Up to 240 ipm (black and white);	ppm/240 ipm (black and white); Up to 120 ppm/240 ipm (colour); <b>Duplex (A4):</b> Up to 240 ipm (black and white)		
	to 160 ipm (colour)	to 160 ipm (colour)	to 160 ipm (colour)	Up to 240 ipm (colour)	Up to 240 ipm (colour)	Up to 240 ipm (colour)		
Scan file format	to easy access USB: PDF, JPEG,	Digital Send: PDF, Hi-Compression PDF, IPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scat to easy access USB: PDF, PJEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (prn, pct, cht)						
Scanner specifications	Scanner type: Flatbed, ADF; Scan technology: Flatbed; ADF; Scan input modes: Front panel applications: Copy; E-mail; Fax; Save to network folder; Save to USB; Save to device memory; Open Extensibility Platform (OXP) applications; Twain version: Version 2.1; Duplex ADF scanning: Yes; Scan size maximum (flatbed, ADF): 297 x 432 mm; Optical scan resolution: Up to							
	600 x 600 dpi	ork folder (stand alone colution)	I. Coan to Cloud: Coan to UCD					
Scanner Advanced Features		ork folder (stand alone solution)		-4\ 207 422 · ••• •		Management 1 1755		
Scannable area	Minimum media size (flatbed 297 x 432 mm	I): Platen Scanner CCD Digital-C	lS; Maximum media size (flatb	ed): 297 x 432 mm; Minimum m	iedia size (ADF): 105 x 148 mm	; Maximum media size (ADF):		
Bit depth/ Grey scale levels	24-bit / 256							
Digital sending				nd to FTP; Send to sFTP; Send to uto tonescale; Auto orientation;				
Fax								
Fax <sup>4</sup>	Optional, Standard (built-in Gig	abit 10/100/1000T Ethernet)						
Fax specifications	Fax resolution: Standard: 203	x 98 dpi;						
Tax specifications	Fine: 203 x 196 dpi; Superfine: 203 x 392 dpi or 30 <b>Quick dialing:</b> Up to 1,000 nu	0 x 300; mbers (each with 210 destination	ons)					
Processor speed	1.2 GHz							
Connectivity								
Standard	2 Hi-Speed USB 2.0 Host; 1 Hi-	Speed USB 2.0 Device; 1 Gigabit	Ethernet 10/100/1000T netwo	rk; 1 Hardware Integration Pocke	et; 1 Fax modem port			
Optional	HP Jetdirect 3000w NFC/Wirele	ess Accessory J8030A; HP Jetdir	ect 2900nw Print Server J8031A					
Wireless	No wireless capabilities standa	rd. There are optional accessori	es that support wireless.					
Mobile printing capability <sup>5</sup>				EAP-TLS), IPP over TLS, IPsec/F	irewall with Certificate, Pre-Shar	ed Key Authentication, and		
Supported network protocols	Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in  IPv4/IPv6: Apple Bonjour Compatible (Mac OS 10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print; Other: NetWare NDS, Bindery, NDPS, ePrint; Google Cloud Print 2.0							
Network capabilities	Standard (built-in Gigabit 10/1	00/1000T Ethernet)						
Hard disk	Two 320 GB Standard, embedo Files, Secure Erase-Job Data, S		re Hard Disk,Total 640 GB; AES 2	66 hardware encryption or greate	er; Secure erase capabilities (Sec	cure File Erase-Temporary Job		
Memory	Standard: 6 GB; Maximum : 6	GB		Standard: 7 GB; Maximum : 7	GB			
Media handling								
Number of paper trays	Standard: 3; Maximum: 5							
Media types	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, Mid-Weight 96-110g, Heavy 111-130g, HP Matte 150g, Extra Heavy 131-175g, HP Matte 200g, Cardstock 176-220g, Labels, Letterhead, Envelope, Preprinted, Prepunched, Coloured							
Media size	Custom (metric): Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 2: 139.7 x 210 mm to 297 x 364 mm; Tray 3: 139.7 x 210 mm to 297 x 432 mm  Supported (metric): Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 2: 139.7 x 210 mm to 297 x 364 mm; Tray 3: 139.7 x 210 mm to 297 x 432 mm  Supported (metric): Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 2: 139.7 x 210 mm to 297 x 432 mm  Supported (metric): Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 2: 139.7 x 210 mm to 297 x 432 mm  Supported (metric): Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 2: 139.7 x 210 mm to 297 x 432 mm  Supported (metric): Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 2: 139.7 x 210 mm to 297 x 432 mm  Supported (metric): Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 2: 139.7 x 210 mm to 297 x 432 mm  Supported (metric): Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 2: 139.7 x 210 mm to 297 x 432 mm  Supported (metric): Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 2: 139.7 x 210 mm to 297 x 432 mm  Supported (metric): Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 2: 139.7 x 210 mm to 297 x 432 mm  Supported (metric): Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 2: 139.7 x 210 mm to 297 x 432 mm  Supported (metric): Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 2: 139.7 x 210 mm to 297 x 432 mm  Supported (metric): Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 2: 139.7 x 210 mm to 297 x 432 mm  Supported (metric): Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 2: 139.7 x 210 mm to 297 x 432 mm  Supported (metric): Tray 1: 98 x 148 mm to 297 x 432 mm  Supported (metric): Tray 1: 98 x 148 mm to 297 x 432 mm  Supported (metric): Tray 1: 98 x 148 mm to 297 x 432 mm  Supported (metric): Tray 1: 98 x 148 mm to 297 x 432 mm  Supported (metric): Tray 1: 98 x 148 mm to 297 x 432 mm  Supported (metric): Tray 1: 98 x 148 mm							
Media handling	Standard input: 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 250 sheet ADF Standard output: 500 sheet face-down output bin Optional input: Optional 2,000 sheet tray ADF: Standard, 250 sheets							
Media weight	Tray 1: 60 to 175 g/m²; Tray 2, 3: 60 to 220 g/m² <b>ADF:</b> Simplex: 42 to 220 g/m²; Duplex: 60 to 220 g/m²							
Input capacity	Tray 1: Sheets: 100; Envelopes: 40 Tray 2: Sheets: 520 Tray 3: Sheets: 520 Maximum: Up to 3,140 sheets ADF: Standard. 250 sheets							
Output capacity	Standard: Up to 500 sheets Envelopes: Up to 40 envelopes Maximum: Up to 3,250 sheets							

Model	HP MFP E72525dn	HP MFP E72530dn	HP MFP E72535dn	HP Flow MFP E72525z	HP Flow MFP E72530z	HP Flow MFP E72535z	
Product number	X3A67A + X3A60A or Z8Z06A	X3A67A + X3A63A or Z8Z08A	X3A67A + X3A66A or Z8Z10A	X3A70A + X3A59A or Z8Z07A	X3A70A + X3A62A or Z8Z09A	X3A70A + X3A65A or Z8Z11	
Compatible operating systems	Android, Boss (3.0, 5.0) http://hplipopensource.com/hplip-web/index.html, Debian (6.0.x, 7.x), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Linux OS (In-OS HPLIP), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, SUSE Linux (12.2, 12.3, 13.1), Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10), UNIX, Windows 10 all 32/64-bit editions (excluding RT OS for Tablets), Windows 7 all 32/64-bit editions, Windows 8/8.1 all 32/64-bit editions (excluding RT OS for Tablets), Windows Vista all 32/bit editions, Windows VP SP3 32-bit editions						
Compatible network operating systems	Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003 R2, Citrix on Windows Server 2008/2008 R2/2008 R2 SP1, Citrix New MetaFrame XP Presentation Server 4.0/4.5, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3) for Windows Server 2008 R2 Terminal Services, 32/64-bit, Citrix XenApp 6.0/6.5/1.5, (for Windows Server 2008 R2 SP1 Terminal Services, 32/64-bit), Citrix XenApp 6.0/6.5/7.5, (for Windows Server 2008 R2 SP1 Terminal Services, 32/64-bit), Citrix XenApp 6.0/6.5/7.5, (for Windows Server 2008 R2 SP1 Terminal Services, 32/64-bit), Citrix XenDesktop 5.6, (for Windows Server 2008 R2 Ferminal Services, 32/64-bit), Citrix XenDesktop 5.6/7.0/7.5, (for Windows Server 2012 and 2012 R2 Terminal Services, 32/64-bit), Citrix XenDesktop 5.6/7.0/7.5, (for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit), NetWare 6.5/SP8 Novell Clients http://www.novell.com/iprint, Novell Server 303/2003 R2 32/64-bit (SP1)/SP2) Standard/Enterprise Server 11/SP1, Novell Open Enterprise Server 2012 and 2012 R2 Server 2003/2003 R2 32/64-bit (SP1)/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 Server 2003/2003 R2 32/64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32/64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2012 R2 64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2012 R2 64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2012/2012 R2 64-bit Standard/Foundation/Essential/Datacenter (+ Cluster & Terminal Services)						
Minimum system requirements	Windows: 200 MB available hard disk space, CD-ROM or DVD drive, or Internet connection, dedicated USB or network connection or Wireless connection, OS hardware requirements see http://www.microsoft.com;  Mac: 1 GB available hard drive space; Internet; See http://www.Apple.com; USB						
Software included	HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to http://www.123.HP.com or OS App Source for printer software), Online user manuals						
Security management	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in						
Printer management	Printer Administrator Resource Kit for HP Universal Print Driver (UPD Active Directory Administrator Template, Add Print Model to Comments, AutoUpgradeUPD, Driver Configuration Utility, Driver Deployment Utility, HP Managed Printing Administration, PRNCON.EXE, HPPRLOG, Migrate-Server-Tools, UpdateNow, Remove Plug and Play Drivers); HP Web Jetadmin Software; Resource Kit for HP Web Jetadmin (HP SNMP Proxy Agent, HP WS Pro Proxy Agent); HP JetAdvantage Security Manager						
Dimensions and Weight							
Printer dimensions (W x D x H)	<b>Minimum:</b> 585 x 775.9 x 877.	5 mm; <b>Maximum:</b> 1194 x 1270	x 775 mm				
Package dimensions (W x D x H)	783 x 656 x 939 mm			831 x 685 x 988 mm			
Printer Weight	68.13 kg						
Package weight	83.3kg 96.3 kg						
Operating environment	Temperature: 15 to 30°C, Hui	nidity: 20 to 80% RH					
Storage	Temperature: -10 to 40°C, Humidity: 10 to 80% RH						
Acoustics	Acoustic power emissions: 6.5 B(A), printing monochrome simplex, A4 at 25 ppm, Acoustic pressure emissions: 49 dB(A), printing monochrome simplex, A4 at 25 ppm	Acoustic power emissions: 6.6 B(A), printing monochrome simplex, A4 at 30 ppm, Acoustic pressure emissions: 50 dB(A), printing monochrome simplex, A4 at 30 ppm	Acoustic power emissions: 6.8 B(A), printing monochrome simplex, A4 at 35 ppm, Acoustic pressure emissions: 51 dB(A), printing monochrome simplex, A4 at 35 ppm	Acoustic power emissions: 6.5 B(A), printing mono simplex, A4 at 25 ppm, Acoustic pressure emissions: 50 dB(A), printing mono simplex, A4 at 25 ppm	Acoustic power emissions: 6.6 B(A), printing mono simplex, A4 at 30 ppm, Acoustic pressure emissions: 50 dB(A), printing mono simplex, A4 at 30 ppm	Acoustic power emissions: 6.7 B(A), printing mono simplex, A4 at 35 ppm, Acoustic pressure emissions: 51 dB(A), printing mono simplex, A4 at 35 ppm	
Power <sup>6</sup>	Requirements: Input voltage: 220 to 240 Vac (+/- 10%), 50/60 Hz (+/- 3 Hz); Power supply type: Internal (Built-in) power supply						
Certifications	CISPR 22: 2008 (International) - Class A, CISPR 32: 2012 (International) - Class A, EN 55032: 2012 (EU) - Class A, EN 61000-3-2: 2014, EN 61000-3-3: 2013, EN 55024: 2010, EMC Directive 2014/30/EU, other EMC approvals as required by individual countries Energy Star; Blue Angel; EPEAT silver						
What's in the box <sup>7</sup>	Engine; TCU; Drums; Assy-colour WG nameplate and label; Power cords; Assembly-CD; Hardware install and setup documentation; Support flyers (DOES NOT INLCLUDE TONER)						
Warranty	90 day parts only. Extended Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.						

#### **Footnotes**

- Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims.
- Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see http://www.hp.connected.com.

  Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

  Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at http://www.hp.com/go/printsecurity.
- <sup>5</sup> Feature available only on the Z bundles.

#### **Technical specifications disclaimers**

- 1 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver,
- and document complexity.

  Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- <sup>3</sup> Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

  <sup>4</sup> Based on standard ITU-T test image #1 at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for 34V and 6 sec/page for 17V
- <sup>5</sup> Optional Wireless Direct and Wireless
- 6 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.
- <sup>7</sup> No, please purchase USB cable separately (Service Technician must install units)











The product could differ from the images shown. © Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

